vh1 PRESENTS
BARBERSHOP Talks

Caregiver Burnout: Signs You Shouldn't Ignore

When caring for others starts to take a toll on you—and what to do next

Caregiving can be meaningful, but it can also be physically and emotionally demanding.

Burnout doesn't always look the same—you may notice changes in some areas of your life but not others.

More than half of caregivers report significant strain related to their caregiving responsibilities. Recognizing the warning signs early can help protect your health so you can continue caring for others.

As you read through these signs, ask yourself: Does this happen most days, or just occasionally? Do I feel different from how I used to?

50%+

Caregivers are strained

64%

Caregivers are emotionally strained

45%

Caregivers are physically strained

Emotional Exhaustion

You may notice:

- → Feeling overwhelmed most days
- → Irritability or frustration
- → Feeling hopeless or emotionally shut down

What may help:

- → Take short breaks during the day, even 10–15 minutes
- → Talk with someone you trust about how you're feeling
- → Do something you enjoy (reading, music, quiet time)

Physical Strain

You may notice:

- → Constant fatigue or low energy
- → Trouble falling or staying asleep
- → Headaches or body aches

What may help:

- → Try to maintain a regular sleep routine
- → Get outside for fresh air or light movement
- → Look for small ways to care for your own health
- → Schedule routine check-ups when possible

Cognitive Strain (Mental Load)

You may notice:

- → Trouble concentrating
- → Feeling forgetful
- → Feeling mentally overwhelmed
- → Difficulty thinking clearly or making decisions

What may help:

- → Write down tasks or use reminders to reduce mental load
- → Break tasks into smaller steps
- → Ask for help with complex or time-consuming responsibilities

Disconnection or Withdrawal

Loneliness among caregivers is common and often goes unacknowledged.

You may notice:

- → Withdrawing from friends or family
- → Feeling detached or isolated
- → Losing patience more easily with others

What may help:

- → Stay connected with at least one trusted person
- → Consider a caregiver support group or community
- → Take short breaks to reset during stressful moments

Warning Signs You Shouldn't Ignore

Some signs indicate that burnout has moved beyond manageable stress, such as:

- → Skipping your own medical appointments
- → Losing interest in activities you used to enjoy
- → Feeling like you can't keep going
- → Ongoing exhaustion or feeling worn down

If any of these apply, you should:

- → Talk with a clinician as soon as possible
- → Ask for help with caregiving responsibilities
- → Look into respite care (short-term caregiving support)
- → Reach out to someone you trust and let them know you need support
- → If you feel overwhelmed or in distress, consider contacting a crisis support resource

Why This Matters

Ongoing caregiver stress has been linked to depression, anxiety, sleep problems, high blood pressure, and increased risk of heart disease.

Your health matters too.

You don’t have to carry this on your own.

References

1. AARP, National Alliance for Caregiving. Caregiving in the US 2025. Published July 24, 2025. Accessed February 20, 2026.

2. Gérain P, Zech E. Do informal caregivers experience more burnout? A meta-analytic study. Psychol Health Med. 2021;26(2):145-161. doi:10.1080/13548506.2020.1803372.

3. Romero-Martínez Á, Hidalgo-Moreno G, Moya-Albiol L. Neuropsychological consequences of chronic stress: The case of informal caregivers. Aging Ment Health. 2020;24(2):259-271. doi:10.1080/13607863.2018.1537360.

4. Slaboda JC, Nelson SH, Agha Z, et al. A national survey of caregivers' own experiences and perceptions of U.S. health care system when addressing their health and caring for an older adult. BMC Health Serv Res. 2021;21:101. doi:10.1186/s12913-021-06086-z.

5. Szlenk-Czyczerka E, Guzek M, Bielska DE, Ławnik A, Polański P, Kurpas D. Needs, aggravation, and degree of burnout in informal caregivers of patients with chronic cardiovascular disease. Int J Environ Res Public Health. 2020;17(17):6427. doi:10.3390/ijerph17176427.

6. Victor CR, Rippon I, Quinn C, Nelis SM, Martyr A, Hart N, et al. The prevalence and predictors of loneliness in caregivers of people with dementia: findings from the IDEAL programme. Aging Ment Health. 2021;25(7):1232-1238. doi:10.1080/13607863.2020.1753014.

7. Wu KK, Bos T, Mausbach BT, et al. Long-term caregiving is associated with impaired cardiovagal baroreflex. J Psychosom Res. 2017;103:29-33. doi:10.1016/j.jpsychores.2017.10.001.